Applicant: Kluge, et al.

US Application No: 10/593,986

Amendment Page 3 of 10

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in this application:

- 1. (currently amended): Nitrogen oxide storage catalyst applied in the form of a coating to an inert honeycomb made of ceramic or metal wherein the nitrogen oxide storage catalyst contains platinum as an oxidation-active component and a Nitrogen nitrogen oxide storage material comprising at least one nitrogen oxide storage component on a homogeneous magnesium-aluminium mixed oxide doped with rare earth oxides as support material, with the magnesium-aluminium mixed oxide containing from 1 to 30% by weight of magnesium oxide, based on the total weight of the magnesium-aluminium mixed oxide, wherein the nitrogen oxide storage catalyst further contains a homogeneous magnesium-aluminium mixed oxide doped with rare earth oxides which likewise serves as support material for platinum and the catalyst contains from 3 to 25% by weight of nitrogen oxide storage components, calculated as oxide and based on the total weight of the catalyst material.
- 2. (currently amended): Nitrogen oxide storage material catalyst according to Claim 1, characterized in that the rare earth oxides comprise oxides of elements selected from the group consisting of cerium, praseodymium, neodymium, lanthanum, samarium and mixtures thereof.
- 3. (currently amended): Nitrogen oxide storage material catalyst according to Claim 2, characterized in that the rare earth oxides are cerium oxide and/or praseodymium oxide.
- 4. (currently amended): Nitrogen oxide storage material catalyst according to Claim 1, characterized in that the nitrogen oxide storage components comprise oxides, carbonates or hydroxides of elements selected from the group consisting of magnesium,

Applicant: Kluge, et al.

US Application No: 10/593,986

Amendment Page 4 of 10

calcium, strontium, barium, the alkali metals and mixtures thereof.

5. (currently amended): Nitrogen oxide storage material catalyst according to Claim 1, characterized in that the support material contains from 5 to 15% by weight of rare earth oxides, based on the total weight of the support material.

- 6. (cancelled)
- 7. (currently amended): Nitrogen oxide storage catalyst according to Claim [[6]] <u>5</u>, characterized in that platinum has been deposited on the nitrogen oxide storage material and the catalyst additionally contains an oxygen-storing material based on cerium oxide.
- 8. (currently amended): Nitrogen oxide storage catalyst according to Claim [[6]] 5, characterized in that it additionally contains palladium.
- 9. (currently amended): Nitrogen oxide storage catalyst according to Claim [[6]] 5, characterized in that it additionally contains rhodium on aluminium oxide.
- 10. (original): Nitrogen oxide storage catalyst according to Claim 8, characterized in that it additionally contains rhodium on aluminium oxide.
- 11. (currently amended): Nitrogen oxide storage catalyst according to Claim [[6]] 1, characterized in that the homogenous magnesium-aluminium mixed oxide which is doped with rare earth oxides and serves as support material for platinum contains from 1 to 30% by weight of magnesium oxide, based on the total weight of the magnesium-aluminium mixed oxide and from 5 to 15% by weight of rare earth oxides, based on the total weight of the support material.
- (cancelled)
- 13. (currently amended): Nitrogen oxide storage catalyst according to Claim [[12]] 11, characterized in that the catalyst contains from 5 to 10% by weight of nitrogen oxide

Applicant: **Kluge, et al**. US Application No: 10/593,986 Amendment

Page 5 of 10

storage components, calculated as oxide and based on the total weight of the catalyst material.

14. (cancelled)